

Industrial Hose Comparison Chart

	PARKER DAYCO	BOSTON	GATES	GOODYEAR	THERMOID HKP
AIR & WATER	GST-II 7092 GST-II 7093	Industrial A/W Bosflex A/W	Economaster 1 Braid EconoFlex	Sureline Horizon	ValuFlex GS
		Marathoner	DuraFlex	Wingfoot GP	Mainliner Industrial
	MPT-II 7094 MPT-II 7095	Performer II	PremoFlex Plant Master 19B	Ortac	Versicon Maxecon 300
	Grizzly 7107			Gorilla	Hercules 400
SPECIAL APPLICATION AIR & WATER	Hydro-Aire		TufFlex	Pliovic	
	Therm-o-blue Therm-o-red		Thermo GPX	Myriade	
	HDW 7080 Creamery Washdown	Creamery Packing	Creamery 113 S	Plicord Wash Down	Dari-Preen Maxecon Wash Down
	Jiffy 7212	Easy Couple	Lock-On	Insta-Grip	
	Push-On 300 Spiral			Acala	Flex-Loc
		Contractors Water			Contractors Water
		Contractors Water PVC			
PAINT & CHEMICAL	MPT-II 7094 MPT-II 7095				
	Paint Fluid 7108	Nyall	77B	N-R Spray	
PETROLEUM & GAS	Farm Pump 7188		Farm Skid Tank Gravity 5613	Agriculture Gasoline	Farm Tank
	LP Gas 7132		Butane-Propane 20B-HB		
	LP Gas 7232		Butane-Propane 20B-HB		



HOSE

For All Types of Applications



GST® II General Service Air & Water Hose



Economical and versatile general purpose hose. Excellent for air & water service. EPDM tube and cover resists heat, sunlight, ozone and weathering. GST II hose exceeds RMA class C medium oil resistance requirements. Suitable for applications such as oil mist lubricating air lines, but NOT suitable for the transfer of petroleum products. Closely plied reinforcement of high tensile textile core provides excellent coupling retention and kink resistance. 4:1 safety factor.

CONSTRUCTION:

- Tube:** Black EPDM
- Reinforcement:** Multiple Textile Plies
- Cover:** EPDM
- Standard Lengths:** Standard reel size varies
- Temperature Range:** -40°F to +212°F
- Fittings:** Standard Fittings with Clamps
- Colors:** Red or Black



PART NO.		HOSE I.D.	HOSE O.D.	MINIMUM BEND RADIUS	PRESSURE RATING (psi)	APPROX. FULL REEL QTY.	PRICE PER FULL REEL	
RED	BLACK							
7092-25RD	7093-25BK	1/4"	.550"	3.30	300	800'	Call for Pricing	
7092-31RD	7093-31BK	5/16"	.594"	3.50	300	750'		
7092-38RD	7093-38BK	3/8"	.688"	4.00	300	700'		
7092-50RD	7093-50BK	1/2"	.875"	5.00	300	500'		
7092-63RD	7093-63BK	5/8"	1.062"	5.50	300	450'		
7092-75RD	7093-75BK	3/4"	1.156"	6.00	300	400'		
7092-100RD	7093-100BK	1"	1.438"	8.00	300	300'		
7092-125RD	7093-125BK	1 1/4"	1.781"	9.00	200	250'		
7092-150RD	7093-150BK	1 1/2"	2.031"	10.00	200	200'		

CLAMP SIZES		
Worm Gear	1 Ear Clamp	2 Ear Clamp
PSHC-6	EC145	EC1315
PSHC-6	EC170	EC1518
PSHC-6	EC198	EC1518
PSHC-8	EC241	EC2023
PSHC-10	--	EC2528
PSHC-16	--	--
PSHC-20	--	--
PSHC-24	--	--
PSHC-28	--	--

Full Reels Only


SFP reserves the right to over- or under-ship hose by 10% of length ordered.

Jiffy® (Push-On) Heavy Duty 300 psi Air-Water-Oil Hose

This oil-resistant hose is excellent for use with air, water, mild chemicals and various petroleum products. Light, flexible, and couples in a jiffy; no clamps or special tools needed. Special braid angle for quick and secure push-on coupling retention. Available in various colors for color coding lines. Flame resistant cover is branded with MSHA legend. 4:1 safety factor.

CONSTRUCTION:

- Tube:** Black Nitrile
- Reinforcement:** One Textile Braid
- Cover:** Neoprene
- Pressure Rating:** 300 psi
- Standard Lengths:** Standard reel size varies
- Temperature Range:** -40°F to +200°F
- Fittings:** Push-on Fittings or Standard Fittings with Clamps
- Colors:** Black, Blue, Red, Gray or Green



PART NO.	HOSE I.D.	HOSE O.D.	WORKING PRESSURE (psi)	MINIMUM BEND RADIUS	APPROX. FULL REEL QTY.	PRICE PER FULL REEL	
7212-25	1/4"	.500"	300	3.00	700'	Call for Pricing	
7212-38	3/8"	.625"	300	3.00	700'		
7212-50	1/2"	.750"	300	5.00	600'		
7212-75	3/4"	1.031"	300	7.00	400'		

CLAMP SIZES		
Worm Gear	1 Ear Clamp	2 Ear Clamp
PSHC-4	EC145	EC1315
PSHC-6	EC170	EC1518
PSHC-8	EC198	EC2023
PSHC-16	--	--

*Insert the two letter abbreviation for the color of your choice: **BK** for Black, **BL** for Blue, **RD** for Red, **GY** for Gray, or **GN** for Green.

SFP reserves the right to over- or under-ship hose by 10% of length ordered.

Grizzly™ Extra Heavy Duty 500 psi Industrial Hose

Grizzly™ is a premium multiple purpose hose which combines the toughness of a braided hose with the flexibility of a spiral hose. Grizzly™ is extremely abrasion resistant and oil resistant. The hose meets MSHA IC-1230/20 flame resistance requirements and is non-conductive, with a minimum one megohm resistance per inch at 1000 volts DC.

CONSTRUCTION:

- Tube:** Black Nitrile
- Reinforcement:** 4 Spiral Textile
- Cover:** Yellow NBR/PVC Blend
- Pressure Rating:** 500 psi
- Standard Lengths:** Standard reel size varies
- Temperature Range:** -40°F to +212°F
- Fittings:** Standard Fittings with Clamps or Hydraulic Crimp Type
- Colors:** Yellow

The Tough Stuff!



PART NO.	HOSE I.D.	HOSE O.D.	WORKING PRESSURE (psi)	MINIMUM BEND RADIUS	APPROX. FULL REEL QTY.	PRICE PER FULL REEL	
7107-25	1/4"	5/8"	500	2.00	750'	Call for Pricing	
7107-38	3/8"	3/4"	500	2.50	600'		
7107-50	1/2"	7/8"	500	3.00	500'		
7107-75	3/4"	1-3/16"	500	4.50	400'		
7107-100	1"	1-1/2"	500	6.00	300'		

CLAMP SIZES		
Worm Gear	1 Ear Clamp	2 Ear Clamp
PSHC-4	EC170	EC1518
PSHC-6	EC198	EC1720
PSHC-8	EC241	EC2225
PSHC-16	--	--
PSHC-20	--	--

SFP reserves the right to over- or under-ship hose by 10% of length ordered.

A Safe, Convenient Hose for all Pneumatic Tools



FEATURES:

- Stretches and Recoils Like a Telephone Cord
- Lightweight
- Abrasion Resistant - Nylon 11
- Completely Oil Proof
- Male Swivel Fittings with Spring Guard Included On All Assemblies
- 200 psi at +70°F

TEMPERATURE RANGE: -40°F to +180°F

COLOR: Yellow

***Standard Duty, Self-Coiling,
Air Hose Assemblies***

PART NO.	LENGTH	NPT	PRICE EACH
SCH-06/12	12'	1/4	Call for Pricing
SCH-06/25	25'	1/4	
SCH-06/50	50'	1/4	
SCH-10/12	12'	3/8	
SCH-10/25	25'	3/8	
SCH-10/50	50'	3/8	

Blanket Purchasing Program



HUGE

\$AVING\$

All Year Long!

Large Volume Pricing doesn't have to mean buying more than you need. Now you can have increased buying power, while buying products as you need them. With our BLANKET PURCHASING PROGRAM, you'll get:

- **Lowest Prices**
- **Quick Delivery**
- **No Minimum Quantity Requirements**
- **Available for All Services For Plastics, Inc. Products**
- **Convenience (*Process just ONE Purchase Order for the entire year!*)**

There's no need to buy in bulk when you just don't have the space. Save time, money, and floor space with a BLANKET PURCHASE ORDER!

Call us today for more details!