# Safety Data Sheet

# Classified in accordance 29 CFR 1910.1200

1. Product Identification	
Product Information:	1000034945
Product Identifier:	Camie 313 Fast Tact Upholstery Adhesive
Recommended Use:	Adhesive
Manufacturer/Importer/Distributor Information:	PLZ CORP 2651 WARRENVILLE RD, STE 300 DOWNERS GROVE, IL 60515 US 800-332-9000
Emergency Telephone:	866-836-8855

## 2. Hazard(s) identification

#### Classification

Flammable Aerosol, category 1 Aspiration Hazard, category 1 Skin Irritation, category 2 Skin Sensitizer, category 1 Eye Irritation, category 2A STOT, single exposure, category 3, NE Reproductive Toxicity, category 2 STOT, repeated exposure, category 2

#### Label elements

#### HAZARD PICTOGRAMS



Danger

#### **GHS HAZARD STATEMENTS**

H222	Extremely flammable aerosol.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

### GHS PRECAUTIONARY STATEMENTS

Prevention	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe fumes, mists, vapours or spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves, eye protection, face protection, and protective clothing
Response	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P331	Do NOT induce vomiting.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
Storage	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
Disposal	
P501	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other Information

### None

## 3. Composition/Information on Ingredients

Mixtures

Chemical Identity	CAS Number	Content in Percent (%)*
Acetone	67-64-1	10-25
Propane	74-98-6	10-25
Dimethyl Ether	115-10-6	10-25
n-Hexane	110-54-3	10-25
Methylcyclopentane	96-37-7	2.5-10
Maleic Anhydride Modified Liquid Polyisoprene	841251-34-1	0.1-1.0
Cyclohexane	110-82-7	0.1-1.0
n-Heptane	142-82-5	0.1-1.0

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition Comments:** Other components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

## 4. First-aid Measures

**SKIN CONTACT:** Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Wash skin thoroughly with soap and water for several minutes. If irritation occurs, get medical attention. Wash contact area thoroughly with soap and water. Get medical attention if irritation or rash develops or persists. Remove contaminated clothing. Launder clothing before re-use.

**EYE CONTACT:** Rinse immediately with plenty of water. Flush eyes with plenty of water for 15 minutes, while holding the eyelids apart. Check victim for contact lenses and remove if present. Get medical attention if irritation persists.

**INHALATION:** Move to fresh air. Remove victim to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel. Get medical attention if you feel unwell.

**INGESTION:** Keep the victim calm and warm. Do NOT induce vomiting. If conscious, rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs. Get immediate medical attention.

**IMPORTANT SYMPTOMS:** Inhalation may cause drowsiness or dizziness. Aspiration hazard: Harmful or fatal if swallowed. May cause severe eye irritation. May cause skin irritation. May cause allergic skin reaction (sensitization.)Prolonged or repeated exposure may cause damage to organs.

**INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:** Get medical attention if symptoms occur. Immediate medical attention is required for ingestion.

#### 5. Fire-fighting Measures

EXTINGUISHING MEDIA: Use fire-extinguishing media appropriate for surrounding materials.

TLV-TWA

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this will spread the fire.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Extremely flammable aerosol. Contents under pressure. Keep away from ignition sources and open flames. Prolonged exposure to temperatures above 120°F may cause cans to burst. Vapors may travel considerable distance to a source of ignition and flash back. Combustion may produce carbon dioxide and carbon monoxide.

SPECIAL FIREFIGHTING PROCEDURES: No data available

#### 6. Accidental Release Measures

**PERSONAL PRECAUTIONS :** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP:** Leaking cans should be placed in a plastic bag or open pail away from ignition sources until the pressure has dissipated. Collect liquid spill with an inert absorbent material and place into a suitable container for disposal.

**ENVIRONMENTAL PRECAUTIONS:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

## 7. Handling and Storage

HANDLING: Keep away from sources of ignition - No smoking. Keep away from open flames, hot surfaces and sources of ignition. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**SAFE HANDLING ADVICE:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**STORAGE:** Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

**TLV-STEL** 

NFPA 30B: Aerosol Level 2

### 8. Exposure Controls/Personal Protection

#### Ingredients with Occupational Exposure Limits

**Chemical Name** 

0035

PEL-TWA

PEL-CEILING

Acetone	250 ppm	500 ppm	1000 ppm	N.E.
Propane	N.E.	N.E.	1000 ppm	N.E.
Dimethyl Ether	N.E.	N.E.	N.E.	N.E.
n-Hexane	50 ppm	N.E.	500 ppm	N.E.
Methylcyclopentane	N.E.	N.E.	N.E.	N.E.
Maleic Anhydride Modified Liquid Polyisoprene	N.E.	N.E.	N.E.	N.E.
Cyclohexane	100 ppm	N.E.	300 ppm	N.E.
n-Heptane	400 ppm	500 ppm	500 ppm	N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

#### ENGINEERING CONTROLS: No data available

#### **Personal Protection**

**EYE/FACE PROTECTION:** Wear goggles/face shield. Chemical safety goggles should be worn where contact is possible.

SKIN PROTECTION: Wear impervious gloves to prevent skin contact.

**RESPIRATORY PROTECTION:** Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator.

HYGIENIC PRACTICES: When using do not smoke. Observe good industrial hygiene practices.

## 9. Physical and Chemical Properties

#### Appearance:

Appearance.	
Physical State:	Liquid
Form:	Spray Aerosol
Color:	No data available
Odor:	No data available
Odor Threshold:	No data available
pH:	No data available
Freeze Point, °C:	No data available
Boiling Point, °C:	7
Flash Point, °C:	-104
Flammability (solid, gas):	No data available
Evaporation Rate:	No data available
Combustibility:	Supports Combustion
Explosive Limits, %:	1.3 - 18.0
Vapor Pressure @20°C, PSI:	52-72
Vapor Density:	No data available
Relative Density:	No data available
Solubility in Water:	No data available
Partition Coefficient, n-octanol/water:	No data available
Auto-Ignition Temperature, °C:	No data available
Decomposition temperature, °C:	No data available
Kinematic Viscosity:	No data available

## 10. Stability and Reactivity

**REACTIVITY:** Not reactive under normal conditions of use.

STABILITY: Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: No data available

**CONDITIONS TO AVOID:** Keep away from heat, sparks, flames, and other sources of ignition. Do not puncture or incinerate containers. Dropping containers may cause bursting.

INCOMPATIBILITY: No data available

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion may produce carbon dioxide and carbon monoxide.

#### **11.** Toxicological Information

#### Information on Likely Routes of Exposure

SKIN CONTACT EFFECTS: May cause irritation, drying, defatting of the skin and dermatitis. May cause an allergic skin reaction (sensitization) with itching, redness and hives.

EYE CONTACT EFFECTS: Contact may cause severe irritation with redness, tearing and pain.

INHALATION EFFECTS: May cause central nervous system effects with drowsiness and dizziness.

INGESTION EFFECTS: Aspiration into the lungs during ingestion or vomiting may cause serious lung damage which may be fatal.

Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by IARC, ACGIH, NTP or OSHA.

The following values are calculated based on chapter 3.1 of the GHS document. The product itself has not been tested.

<u>ATE ORAL</u>	6,112 mg/kg
ATE DERMAL	6,112 mg/kg
ATE INHALATION	Not classified for acute toxicity based on available data.

#### **Acute Toxicity Values**

The acute effects of this product have not been tested. Data on individual components are tabulated below

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50
67-64-1	Acetone	5,800 mg/kg	7,426 mg/kg	50.1 mg/l
74-98-6	Propane	5,000 mg/kg	5,000 mg/kg	100 mg/l
115-10-6	Dimethyl Ether	5,000 mg/kg	5,000 mg/kg	100 mg/kg
110-54-3	n-Hexane	2,000 mg/kg	2,000 mg/kg	31.86 mg/l
96-37-7	Methylcyclopentane	2,000 mg/kg	2,000 mg/kg	100 mg/l
841251-34-1	Maleic Anhydride Modified Liquid Polyisoprene	5,000 mg/kg	5,000 mg/kg	N.I.
110-82-7	Cyclohexane	5,000 mg/kg	2,000 mg/kg	32.88 mg/l
142-82-5	n-Heptane	5,000 mg/kg	2,000 mg/kg	29.29 mg/l
			, , ,	

N.I. = No Information

#### Skin Corrosion & Irritation:

Product:

Components: n-Hexane No data available

110-54-3 Causes skin irritation.

Serious Eye Damage & Irritation:		
Product: Components:		No data available
Acetone	67-64-1	Causes serious eye irritation.
Respiratory or Skin Sensitization:		
Product:		No data available
Components:		
Maleic Anhydride Modified Liquid Polyisoprene	841251-34-1	May cause an allergic skin reaction.
STOT-Single Exposure:		
Product:		No data available
Components:		
n-Hexane	110-54-3	May cause drowsiness or dizziness.
Cyclohexane	110-82-7	May cause drowsiness or dizziness.
n-Heptane	142-82-5	May cause drowsiness or dizziness.
Acetone	67-64-1	May cause drowsiness or dizziness.
STOT-Repeated Exposure:		
Product:		No data available
Components:		
n-Hexane	110-54-3	May cause damage to organs through prolonged or repeated exposure.
Aspiration Hazard:		
Product:		No data available
Components:		
n-Hexane	110-54-3	May be fatal if swallowed and enters airways.
Methylcyclopentane	96-37-7	May be fatal if swallowed and enters airways.
Cyclohexane	110-82-7	May be fatal if swallowed and enters airways.
n-Heptane	142-82-5	May be fatal if swallowed and enters airways.
Carcinogenicity:		
Product:		No data available
Reproductive Toxicity:		
Product:		No data available
Components:		
n-Hexane	110-54-3	Suspected of damaging fertility or the unborn child.
Germ Cell Mutagenicity:		
Product:		No data available
12 Ecological Information		

## 12. Ecological Information

ECOLOGICAL INFORMATION: No data available

PERSISTENCE: No data available

BIOACCUMULATE: No data available

MOBILITY IN SOIL: No data available

OTHER ECOLOGICAL: No data available

## 13. Disposal Information

**DISPOSAL INFORMATION:** Consult with your local, regional and federal agencies for information on proper disposal. **CONTAMINATED PACKAGING :** Consult with your local, regional and federal agencies for information on proper disposal.

## 14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No data available			
DOT			
UN Number:	UN1950		
Proper Shipping Name:	AEROSOLS, FLAMMABLE		
Technical Name:	N/A		
Hazard Class(es)			
Class:	2.1		
Subsidiary Risk	N/A		
Packing Group:	N/A		
IATA			
UN Number:	UN1950		
Proper Shipping Name:	AEROSOLS, FLAMMABLE		
Technical Name:	N/A		
Hazard Class(es)			
Class:	2.1		
Subsidiary Risk:	N/A		
Packing Group:	N/A		
IMDG			
UN Number:	UN1950		
Proper Shipping Name:	AEROSOLS, FLAMMABLE		
Technical Name:	N/A		
Hazard Class(es)			
Class:	2.1		
Subsidiary Risk:	N/A		
Packing Group:	N/A		

The classification shown In this section may be eligible for use of an exception, such as 'Limited Quantity', per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

## 15. Regulatory Information

#### CHEMICAL INVENTORY STATUS:

TSCA

On or in compliance with the inventory

DSL

All ingredients in this product are listed on the DSL or are exempt.

## CALIFORNIA PROPOSITION 65 CARCINOGENS AND REPRODUCTIVE TOXINS:

# 

Warning: This product may contain ingredients known to the state of California to cause Cancer or Reproductive Harm.

Chemical Name	CAS-No.
n-Hexane	110-54-3
Toluene	108-88-3
Styrene	100-42-5
Benzene	71-43-2
Naphthalene	91-20-3

#### Ethyl Benzene

100-41-4

# 16. Other Information

Revision Date: 2/24/2023

Datasheet produced by: Regulatory Department

#### Legend

N/A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

- TLV Threshold Limit Values (TLVs®), as established by the American Conference of Governmental Industrial Hygienists (ACGIH®)
- PEL Permissible Exposure Limit, as established by the U.S. Occupational Safety and Health Administration (OSHA), as amended
- TSCA U.S. Toxic Substance Control Act
- DSL Canada Environmental Protection Act: Domestic Substance List

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.