Safety Data Sheet

Classified in accordance with SOR/2015-17

1. Product Identification	
Product Information:	100008685
Product Identifier:	Crazy Clean All Purpose Cleaner
Recommended Use:	Cleaner
Manufacturer/Importer/Supplier Information:	PLZ CORP 8001 KEELE STREET VAUGHAN, ONTARIO L4K1Y8 CA 1-905-669-9855
Emergency Telephone:	1-800-424-9300

2. Hazard(s) identification

Classification Aerosol, category 3 Eye Irritation, category 2A

Label elements

HAZARD PICTOGRAMS



GHS HAZARD STATEMENTS

H229 Pressurized container: may burst if heated

H319 Causes serious eye irritation.

GHS PRECAUTIONARY STATEMENTS

Prevention	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251	Do not pierce or burn, even after use.
P264	Wash thoroughly after handling.
P280	Wear eye protection and face protection
Response	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
Storage	
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.

Disposal None Other Information None

3. Composition/Information on Ingredients

Mixtures

Chemical Identity	Common Name and Synonyms	CAS Number	Content in Percent (%)*
2-Butoxyethanol		111-76-2	1-5
Alcohols C9-11 Ethoxylated		68439-46-3	1-5
Butane		106-97-8	1-5
Propane		74-98-6	0.1-1.0
EDTA Tetrasodium Salt		64-02-8	0.1-1.0

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments: Other components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

4. First-aid Measures

SKIN CONTACT: Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.

EYE CONTACT: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention. Flush eyes with plenty of water for 15 minutes, while holding the eyelids apart. Check victim for contact lenses and remove if present. Get medical attention if irritation persists.

INHALATION: Move to fresh air.

INGESTION: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

IMPORTANT SYMPTOMS: May cause severe eye irritation.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: Get medical attention if symptoms occur.

5. Fire-fighting Measures

EXTINGUISHING MEDIA: Use fire-extinguishing media appropriate for surrounding materials.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this will spread the fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Pressurized container may explode when exposed to heat or flame.

SPECIAL FIREFIGHTING PROCEDURES: No data available

6. Accidental Release Measures

PERSONAL PRECAUTIONS : No data available

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP: Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

ENVIRONMENTAL PRECAUTIONS: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

7. Handling and Storage

HANDLING: Wear personal protective equipment.

SAFE HANDLING ADVICE: Observe good industrial hygiene practices.

STORAGE: No data available

NFPA 30B: Aerosol Level 1

8. Exposure Controls/Personal Protection				
Ingredients with Occupational Exposure Limits				
Chemical Name	TLV-TWA	TLV-STEL	PEL-TWA	PEL-CEILING
2-Butoxyethanol	20 ppm	N.E.	50 ppm	N.E.
Alcohols C9-11 Ethoxylated	N.E.	N.E.	N.E.	N.E.
Butane	N.E.	1000 ppm	N.E.	N.E.
Propane	N.E.	N.E.	1000 ppm	N.E.
EDTA Tetrasodium Salt	N.E.	N.E.	N.E.	N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

ENGINEERING CONTROLS: Provide adequate ventilation.

Personal Protection

EYE/FACE PROTECTION: Wear goggles/face shield. Chemical safety goggles should be worn where contact is possible.

SKIN PROTECTION: No data available

RESPIRATORY PROTECTION: Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator.

HYGIENIC PRACTICES: General industrial hygiene practice.

9. Physical and Chemical Properties

Appearance:

••	
Physical State:	Liquid
Form:	Clear
Color:	Colorless
Odor:	Floral
Odor Threshold:	No data available
pH:	11.8 - 12.8
Freeze Point, °C:	No data available
Boiling Point, °C:	28
Flash Point, °C:	Not applicable to aerosols
Flammability (solid, gas):	Non-flammable Aerosol
Evaporation Rate:	No data available
Combustibility:	Does not Support Combustion
Explosive Limits, %:	1.3 - 25.0
Vapor Pressure @20°C, PSI:	40 - 60
Relative Vapor Density:	Heavier than Air
Relative Density:	0.994
Solubility in Water:	No data available
Partition Coefficient, n-octanol/water:	No data available
Auto-Ignition Temperature, °C:	No data available
Decomposition temperature, °C:	No data available
Kinematic Viscosity:	< 14 mm2/s or cSt
Particle Characteristics:	No data available

10. Stability and Reactivity

REACTIVITY: Not reactive under normal conditions of use.

STABILITY: Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: No data available

CONDITIONS TO AVOID: Avoid heat or contamination

INCOMPATIBILITY: No data available

HAZARDOUS DECOMPOSITION PRODUCTS: No data available

11. Toxicological Information

Information on Likely Routes of Exposure

SKIN CONTACT EFFECTS: May cause irritation on prolonged or repeated contact.

EYE CONTACT EFFECTS: Contact may cause severe irritation with redness, tearing and pain.

INHALATION EFFECTS: Inhalation of high concentrations of mists may cause irritation of the nose throat and upper respiratory tract.

INGESTION EFFECTS: Ingestion may cause irritation of the mucous membranes, esophagus and stomach.

CAS-No.	Chemical Name		IARC Listing		
5064-31-3	Trisodium Nitrilotri	acetate	IARC Group 2B	3	
123-91-1	1,4-Dioxane		IARC Group 2B	3	
The followin	ng Chemicals are liste	ed on the U.S. National Toxicolo	ogy Program (NTP) Report	on Carcinogens:	
CAS-No.	<u>Chemical Name</u>		NTP Listing		
123-91-1	1,4-Dioxane	1,4-Dioxane		NTP Reasonably Anticipated to be Human Carcinogen	
The followin amended:	ng Chemicals are liste	ed on U.S. OSHA Specifically R	egulated Substances (29 (CFR 1910.1001-10	50), as
CAS-No.	Chemical Name		OSHA Listing		
123-91-1	1,4-Dioxane		Present		
ATE ORAL	values are calculated	d based on chapter 3.1 of the G 7,548 mg/kg		t itself has not bee	n tested.
ATE ORAL	values are calculated	7,548 mg/kg 19,741 mg/kg		t itself has not bee	n tested.
ATE ORAL	values are calculated - <u>MAL</u> LATION	7,548 mg/kg		t itself has not bee	n tested.
ATE ORAL ATE DERM ATE INHAI	values are calculated <u>MAL</u> LATION Values	7,548 mg/kg 19,741 mg/kg	HS document. The produc		n tested.
ATE ORAL ATE DERM ATE INHAI	values are calculated <u>MAL</u> LATION Values offects of this product <u>Chemical Name</u>	7,548 mg/kg 19,741 mg/kg 291 mg/kg	HS document. The product individual components are <u>Oral LD50</u>	e tabulated below Dermal LD50	Vapor LC50
ATE ORAL ATE DERM ATE INHAI cute Toxicity The acute e	values are calculated <u>MAL</u> LATION Values	7,548 mg/kg 19,741 mg/kg 291 mg/kg	HS document. The produc	e tabulated below	
ATE ORAL ATE DERM ATE INHAI cute Toxicity The acute e <u>CAS-No.</u>	values are calculated <u>MAL</u> <u>LATION</u> values values values <u>Chemical Name</u> 2-Butoxyethanol	7,548 mg/kg 19,741 mg/kg 291 mg/kg have not been tested. Data on	HS document. The product individual components are <u>Oral LD50</u>	e tabulated below Dermal LD50	Vapor LC50
ATE ORAL ATE DERM ATE INHAI cute Toxicity The acute e <u>CAS-No.</u> 111-76-2	values are calculated <u>MAL</u> <u>LATION</u> values values values <u>Chemical Name</u> 2-Butoxyethanol	7,548 mg/kg 19,741 mg/kg 291 mg/kg have not been tested. Data on	HS document. The product individual components are <u>Oral LD50</u> 500 mg/kg	e tabulated below Dermal LD50 1100 mg/kg	<u>Vapor LC50</u> 11 mg/l
ATE ORAL ATE DERM ATE INHAI cute Toxicity The acute e <u>CAS-No.</u> 111-76-2 68439-46-3	values are calculated <u>MAL</u> <u>LATION</u> Values ffects of this product <u>Chemical Name</u> 2-Butoxyethanol Alcohols C9-11 Et	7,548 mg/kg 19,741 mg/kg 291 mg/kg have not been tested. Data on	HS document. The product individual components are <u>Oral LD50</u> 500 mg/kg 500 mg/kg	e tabulated below Dermal LD50 1100 mg/kg 2,216 mg/kg	<u>Vapor LC50</u> 11 mg/l 100 mg/l

N.I. = No Information

Skin Corrosion & Irritation:		
Product:		No data available
Serious Eye Damage & Irritation:		
Product:		No data available
Components:		
2-Butoxyethanol	111-76-2	Causes serious eye irritation.
Alcohols C9-11 Ethoxylated	68439-46-3	Causes serious eye irritation.
Respiratory or Skin Sensitization:		
Product:		No data available
STOT-Single Exposure:		
Product:		No data available
STOT-Repeated Exposure:		
Product:		No data available
Aspiration Hazard:		
Product:		No data available

Carcinogenicity: Product:	No data available	
Reproductive Toxicity: Product:	No data available	
Germ Cell Mutagenicity: Product:	No data available	
12 Ecological Information		

12. Ecological Information

ECOLOGICAL INFORMATION: No data available

PERSISTENCE: No data available

BIOACCUMULATE: No data available

MOBILITY IN SOIL: No data available

OTHER ECOLOGICAL: No data available

13. Disposal Information

DISPOSAL INFORMATION: Consult with your local, regional and federal agencies for information on proper disposal.

CONTAMINATED PACKAGING : Consult with your local, regional and federal agencies for information on proper disposal.

14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No data available

TDG

UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, NON-FLAMMABLE
Technical Name:	N/A
Hazard Class(es)	
Class:	2.2
Subsidiary Risk	N/A
Packing Group:	N/A
ΙΑΤΑ	
UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, NON-FLAMMABLE
Technical Name:	N/A
Hazard Class(es)	
Class:	2.2
Subsidiary Risk:	N/A
Packing Group:	N/A
IMDG	
UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, NON-FLAMMABLE
Technical Name:	N/A
Hazard Class(es)	
Class:	2.2
Subsidiary Risk:	N/A
Packing Group:	N/A

The classification shown In this section may be eligible for use of an exception, such as 'Limited Quantity', per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

15. Regulatory In	formation			
SARA SECTION 313				
	5	subject to the reporting requiremer t of 1986 and 40 CFR part 372:	ts of Section 313 of Title III of the	
Chemical Name		CAS-No.	Wt %	
2-Butoxyethanol		111-76-2	3.78	
CHEMICAL INVENT	ORY STATUS:			
TSCA	On or in compliance	e with the inventory		
DSL	All ingredients in the	nis product are listed on the DSL or	are exempt.	

16. Other Information

Revision Date: 10/30/2024

Datasheet produced by: Regulatory Department

Legend

N/A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

- TLV Threshold Limit Values (TLVs®), as established by the American Conference of Governmental Industrial Hygienists (ACGIH®)
- PEL Permissible Exposure Limit, as established by the U.S. Occupational Safety and Health Administration (OSHA), as amended
- TSCA U.S. Toxic Substance Control Act
- DSL Canada Environmental Protection Act: Domestic Substance List

This information is being provided in accordance with the Hazardous Products Regulations (HPR) regulation (SOR/2015-17). The information supplied is designed for workplaces where the product use and frequency of exposure exceeds that established for the labeled consumer use.

Further Information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the manufacturer's and seller's control. Purchaser and user are responsible for determining the suitability of the product for a particular purpose, adopting precautions for the protection of property and persons, and compliance with all Federal, State, Provincial, and Local laws.