

Revision Date: 10/09/2019

# SAFETY DATA SHEET

## 1. Identification

Product identifier: Wax & Shine SW-753

Other means of identification

**SDS number:** RE1000001162

Recommended restrictions

**Product Use: Coating** 

Restrictions on use: Not known.

## Manufacturer/Importer/Distributor Information

#### Manufacturer

Company Name: Sprayway, Inc.

Address: 1000 INTEGRAM DR.

Pacific, MO 63069

Telephone:

1-630-628-3000

Fax:

Emergency telephone number: 1-866-836-8855

# 2. Hazard(s) identification

## **Hazard Classification**

#### **Physical Hazards**

Flammable aerosol Category 1

**Health Hazards** 

Specific Target Organ Toxicity -

У

Repeated Exposure

Category 1

Aspiration Hazard Category 1

#### **Environmental Hazards**

Acute hazards to the aquatic Category 3

environment

#### **Label Elements**

## **Hazard Symbol:**



Signal Word: Danger



Revision Date: 10/09/2019

**Hazard Statement:** Extremely flammable aerosol.

Causes damage to organs through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

Harmful to aquatic life.

Precautionary Statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not

eat, drink or smoke when using this product. Avoid release to the

environment.

Response: IF SWALLOWED: Immediately call a POISON CENTER/doctor Do NOT

induce vomiting. Get medical advice/attention if you feel unwell.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F. Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

# 3. Composition/information on ingredients

## **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Solvent naphtha (petroleum), medium aliph.	64742-88-7	10 - <20%
Ethane, 1,1-difluoro-	75-37-6	10 - <20%
Siloxanes and Silicones, di-Me	63148-62-9	1 - <5%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Ingestion: Rinse mouth. Call a physician or poison control center immediately. Never

give liquid to an unconscious person. If vomiting occurs, keep head low so

that stomach content doesn't get into the lungs.

**Inhalation:** Move to fresh air.

**Skin Contact:** Wash skin thoroughly with soap and water. Get medical attention if

symptoms occur.

Eye contact: Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses. If eye irritation persists: Get

medical advice/attention.

# Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.



Revision Date: 10/09/2019

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** No data available.

#### 5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

#### Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

#### Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

upwind.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container

for chemical waste.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop

the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you

can do so without risk.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid release to the environment.

## 7. Handling and storage

Precautions for safe handling: Wash hands thoroughly after handling. Keep away from heat, hot surfaces,

sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after

use.



Revision Date: 10/09/2019

Conditions for safe storage, including any incompatibilities:

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 2

# 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Secupational Exposure Limits							
Chemical Identity	Туре	Exposure Limit Values		Source			
Solvent naphtha (petroleum), medium aliph.	REL		100 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)			
	REL	100 ppm	400 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2016)			
Solvent naphtha (petroleum), medium aliph Non-aerosol. - as total hydrocarbon vapor	TWA		200 mg/m3	US. ACGIH Threshold Limit Values (03 2014)			
Solvent naphtha (petroleum), medium aliph.	TWA	100 ppm	400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)			
·	PEL	100 ppm	400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (01 2017)			

Appropriate Engineering Controls

No data available.

#### Individual protection measures, such as personal protective equipment

**General information:** Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists,

mechanical generation of dusts, drying of solids, etc.

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection** 

**Hand Protection:** No data available.

Other: Wear suitable protective clothing.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** Observe good industrial hygiene practices. When using do not smoke.

## 9. Physical and chemical properties

#### **Appearance**

Physical state: liquid

Form: Spray Aerosol
Color: No data available.
Odor: No data available.
Odor threshold: No data available.
PH: No data available.
Melting point/freezing point: No data available.
Initial boiling point and boiling range: No data available.

Flash Point: -50 °C

SDS US - RE1000029938 4/11



Revision Date: 10/09/2019

**Evaporation rate:**No data available. **Flammability (solid, gas):**No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

No data available.

No data available.

**Vapor pressure:** 4,481.5922 - 5,171.068 hPa (20 °C)

Vapor density:No data available.Density:No data available.Relative density:No data available.

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Viscosity:
No data available.

# 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

**Products:** 

No data available.

## 11. Toxicological information

Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.



Revision Date: 10/09/2019

**Ingestion:** No data available.

## Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Solvent naphtha (petroleum), medium

äliph.

LD 50 (Rat): > 5,000 mg/kg

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Solvent naphtha (petroleum), medium

aliph.

LD 50 (Rabbit): > 2,000 mg/kg

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Solvent naphtha (petroleum), medium

aliph.

aliph.

LC 50: > 100 mg/l LC 50: > 100 mg/l

Repeated dose toxicity

**Product:** No data available.

Specified substance(s):

Solvent naphtha (petroleum), medium

147 d): 750 mg/kg Oral Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation - vapor): 0.024 mg/l (Target

Organ(s): Nervous System) Inhalation Experimental result, Key study LOAEL (Rabbit(Female, Male), Dermal): 200 mg/kg (Rabbit(Female, Male),

LOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg (Rat(Female), Oral, 70 -

Dermal): 200 mg/kg Dermal Experimental result, Supporting study

Ethane, 1,1-difluoro- NOAEL (Rat(Female, Male), Inhalation, 104 Weeks): 2.5 %(m) Inhalation Experimental result, Key study

Skin Corrosion/Irritation

**Product:** No data available.

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

Solvent naphtha (petroleum), medium aliph.

Rabbit, 24 - 72 hrs: Not irritating

Respiratory or Skin Sensitization

**Product:** No data available.

Specified substance(s):

Solvent naphtha (petroleum), medium aliph.

Skin sensitization:, in vivo (Guinea pig): Non sensitising

SDS US - RE1000029938

6/11



Revision Date: 10/09/2019

Carcinogenicity

Product: No data available.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

#### **US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

#### **Germ Cell Mutagenicity**

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure** Product: No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Specified substance(s):

Solvent naphtha (petroleum), medium

aliph.

May be fatal if swallowed and enters airways.

Other effects: No data available.

#### 12. Ecological information

## **Ecotoxicity:**

## Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Solvent naphtha LL 50 (Oncorhynchus mykiss, 96 h): 2 - 5 mg/l Experimental result, Key

(petroleum), medium study

aliph.

di-Me

Siloxanes and Silicones,

LC 50 (Redear sunfish (Lepomis microlophus), 96 h): 26.27 - 56.73 mg/l

Mortality

**Aquatic Invertebrates** 

Product: No data available.



Revision Date: 10/09/2019

Specified substance(s):

Solvent naphtha (petroleum), medium

EC 50 (Daphnia magna, 48 h): 1.4 mg/l Experimental result, Key study

aliph.

Siloxanes and Silicones,

di-Me

LC 50 (Water flea (Daphnia magna), 48 h): 44.5 mg/l Mortality

## Chronic hazards to the aquatic environment:

Fish

Product:

No data available.

Specified substance(s):

Solvent naphtha (petroleum), medium

aliph.

NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study

**Aquatic Invertebrates** 

Product:

No data available.

Specified substance(s):

Solvent naphtha (petroleum), medium

aliph.

NOAEL (Daphnia magna): 0.48 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants** 

Product:

No data available.

#### Persistence and Degradability

**Biodegradation** 

Product:

No data available.

Specified substance(s):

Solvent naphtha (petroleum), medium

aliph.

61 % Detected in water. Experimental result, Supporting study

**BOD/COD Ratio** 

Product:

No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Solvent naphtha No data available.

(petroleum), medium aliph.

Ethane, 1,1-difluoro-No data available. Siloxanes and Silicones, di-No data available.

Me

Other adverse effects: Harmful to aquatic organisms.

SDS US - RE1000029938



Revision Date: 10/09/2019

## 13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: No data available.

## 14. Transport information

### DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1
Label(s): Packing Group: II
Marine Pollutant: No

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

**IMDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2 Label(s): –

EmS No.:

Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

**IATA** 

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): –

Packing Group: –

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

# 15. Regulatory information

# **US Federal Regulations**

Restrictions on use: Not known.



Revision Date: 10/09/2019

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

#### CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Fire Hazard

Delayed (Chronic) Health Hazard Immediate (Acute) Health Hazards

Flammable aerosol

Specific Target Organ Toxicity - Repeated Exposure

Aspiration Hazard

#### SARA 302 Extremely Hazardous Substance

Reportable **Chemical Identity** 

quantity

**Threshold Planning Quantity** 

Ethane, 1,1-difluoro-

#### SARA 304 Emergency Release Notification

**Chemical Identity** Reportable quantity

Ethane, 1,1-difluoro-

#### SARA 311/312 Hazardous Chemical

**Chemical Identity Threshold Planning Quantity** 

Solvent naphtha (petroleum), medium aliph. 10000 lbs Siloxanes and Silicones, di-Me 10000 lbs

#### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) **US State Regulations**

#### **US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

#### US. New Jersey Worker and Community Right-to-Know Act

#### **Chemical Identity**

Ethane, 1,1-difluoro-

Solvent naphtha (petroleum), medium aliph.

#### US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

#### US. Pennsylvania RTK - Hazardous Substances

#### **Chemical Identity**

Solvent naphtha (petroleum), medium aliph.

## **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.



Revision Date: 10/09/2019

## International regulations

Montreal protocol

Ethane, 1,1-difluoro- Group I Annex F

Stockholm convention

Ethane, 1,1-difluoro-

Rotterdam convention

Ethane, 1,1-difluoro-

**Kyoto protocol** 

**Inventory Status:** 

Australia AICS: On or in compliance with the inventory

Canada DSL Inventory List:

On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

Japan (ENCS) List: Not in compliance with the inventory.

China Inv. Existing Chemical Substances:

On or in compliance with the inventory

Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory

Canada NDSL Inventory: Not in compliance with the inventory.

Philippines PICCS: Not in compliance with the inventory.

US TSCA Inventory: On or in compliance with the inventory

New Zealand Inventory of Chemicals:

On or in compliance with the inventory

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Mexico INSQ: On or in compliance with the inventory

Ontario Inventory: On or in compliance with the inventory

Taiwan Chemical Substance Inventory: On or in compliance with the inventory

## 16.Other information, including date of preparation or last revision

**Issue Date:** 10/09/2019

**Revision Information:** No data available.

Version #: 1.0

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.