

# SAFETY DATA SHEET

### 1. Identification

Product identifier: FURNITURE POLISH - SW811

Other means of identification SDS number: RE1000011505

#### **Recommended restrictions**

Product use: Cleaner Restrictions on use: Not known.

### Manufacturer/Importer/Distributor Information

#### Manufacturer

Company Name: Address:	Sprayway, Inc. 1000 INTEGRAM DR.
	Pacific, MO 63069
Telephone:	1-630-628-3000
Fax:	

Emergency telephone number: 1-866-836-8855

### 2. Hazard(s) identification

### **Hazard Classification**

### Physical Hazards Flammable aerosol

Category 1

### Label Elements

Hazard Symbol:

Signal Word:	Danger
Hazard Statement:	Extremely flammable aerosol.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Hazard(s) not otherwise classified (HNOC):	None.



### 3. Composition/information on ingredients

### Mixtures

Chemical Identity	CAS number	Content in percent (%)*	
Butane	106-97-8	1 - <5%	
Propane	74-98-6	1 - <5%	
Terpenes and Terpenoids, sweet orange-oil	68647-72-3	0.1 - <1%	
* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.			

### 4. First-aid measures

Ingestion:	Rinse mouth thoroughly.	
Inhalation:	Move to fresh air.	
Skin Contact:	Remove contaminated clothing and wash the skin thoroughly with soap and water after work.	
Eye contact:	Rinse immediately with plenty of water.	
Most important symptoms/effect	s, acute and delayed	
Symptoms:	No data available.	
Hazards:	No data available.	
Indication of immediate medical	attention and special treatment needed	
Treatment:	No data available.	
5. Fire-fighting measures		
General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.	
Suitable (and unsuitable) exting	uishing media	
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back.	
Special protective equipment and precautions for firefighters		
Special fire fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	



### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.
Methods and material for containment and cleaning up:	Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.
Notification Procedures:	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.
7. Handling and storage	
Precautions for safe handling:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Conditions for safe storage, including any incompatibilities:	Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1

### 8. Exposure controls/personal protection

### **Control Parameters**

### **Occupational Exposure Limits**

Chemical Identity	Туре	Exposure Lin	nit Values	Source
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	REL		5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA		5 mg/m3	US. ACGIH Threshold Limit Values (2008)
	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Ammonium hydroxide ((NH4)(OH))	STEL	35 ppm		US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	35 ppm	27 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	35 ppm	27 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	REL	25 ppm	18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	50 ppm	35 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
2,6-Octadienal, 3,7-dimethyl- - Inhalable fraction and vapor.	TWA	5 ppm		US. ACGIH Threshold Limit Values (01 2010)



Bicyclo[3.1.1]hept-2-ene, 2.6.6-trimethyl-	TWA	20 ppm	US. ACGIH Threshold Limit Values (2008)
Bicyclo[3.1.1]heptane, 6,6-	TWA	20 ppm	US. ACGIH Threshold Limit Values (2008)
dimethyl-2-methylene-			

#### Appropriate Engineering Controls

# Individual protection measures, such as personal protective equipment

No data available.

General information:	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection:	Wear goggles/face shield.
Skin Protection Hand Protection:	No data available.
Other:	No data available.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	When using do not smoke. Observe good industrial hygiene practices.

### 9. Physical and chemical properties

Appearance	
Physical state:	liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	-104.44 °C
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive	e limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
	No data available.
Density:	
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.



Auto-ignition temperature: Decomposition temperature: Viscosity: No data available. No data available. No data available.

### 10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

### 11. Toxicological information

### Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

### Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

#### Information on toxicological effects

### Acute toxicity (list all possible routes of exposure)

Oral Product:	Not classified for acute toxicity based on available data.
<b>Specified substance(s):</b> Terpenes and Terpenoids, sweet orange-oil	LD 50: > 2,000 mg/kg
Dermal Product:	Not classified for acute toxicity based on available data.
<b>Specified substance(s):</b> Terpenes and	LD 50: > 2,000 mg/kg



Terpenoids, sweet orange-oil		
Inhalation Product:	Not classified for acute toxicity based on available data.	
Specified substance(s): Butane	LC 50: > 100 mg/l LC 50: > 100 mg/l	
Propane	LC 50: > 100 mg/l LC 50: > 100 mg/l	
Terpenes and Terpenoids, sweet orange-oil	LC 50: > 5 mg/l LC 50: > 20 mg/l	
Repeated dose toxicity Product:	No data available.	
Specified substance(s):		
Butane	LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation	
riopano	Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study	
Skin Corrosion/Irritation Product:	No data available.	
Serious Eye Damage/Eye Irritat Product:	i <b>on</b> No data available.	
Respiratory or Skin Sensitization Product:	n No data available.	
Carcinogenicity Product:	No data available.	
IARC Monographs on the Evalu No carcinogenic componen	ation of Carcinogenic Risks to Humans: ts identified	
US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified		
US. OSHA Specifically Regulate No carcinogenic componen	ed Substances (29 CFR 1910.1001-1050): ts identified	
Germ Cell Mutagenicity		
In vitro Product:	No data available.	
In vivo Product:	No data available.	
Reproductive toxicity	6/11	



Product:	No data available.
Specific Target Organ Toxicity - Product:	Single Exposure No data available.
Specific Target Organ Toxicity - Product:	Repeated Exposure No data available.
Aspiration Hazard Product:	No data available.
<b>Specified substance(s):</b> Terpenes and Terpenoids, sweet orange-oil	May be fatal if swallowed and enters airways.
Other effects:	No data available.

### 12. Ecological information

### Ecotoxicity:

### Acute hazards to the aquatic environment:

Fish Product:	No data available.
Specified substance(s): Butane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Propane	LC 50 (Various, 96 h): 147.54 mg/I QSAR QSAR, Key study
Terpenes and Terpenoids, sweet orange-oil	LC 50 (96 h): < 10 mg/l
Aquatic Invertebrates Product:	No data available.
Specified substance(s): Butane	LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study
Chronic hazards to the aquation	c environment:
Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product: Specified substance(s):	No data available.
SDS 118 DE1000011528	



Packing Group:

SDS\_US - RE1000011538

Butane	100 % (385.5 h) Detected in water. Experimental result, Key study
Propane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
Terpenes and Terpenoids, sweet orange-oil	< 70 %
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential Bioconcentration Factor (B0 Product:	CF) No data available.
Partition Coefficient n-octanol / v Product:	water (log Kow) No data available.
Mobility in soil:	No data available.
Known or predicted distribute Butane Propane Terpenes and Terpenoids, sweet orange-oil	ution to environmental compartments No data available. No data available. No data available.
Other adverse effects:	No data available.
13. Disposal considerations	
Disposal instructions:	Wash before disposal. Dispose to controlled facilities.
Contaminated Packaging:	No data available.
14. Transport information	
DOT UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): Packing Group: Marine Pollutant:	UN 1950 Aerosols, flammable 2.1 – II No
Environmental Hazards: Marine Pollutant	No No
Special precautions for user:	Not regulated.
IMDG UN Number: UN Proper Shipping Name:	UN 1950 Aerosols, flammable

—



Environmental Hazards: Marine Pollutant	No No
Special precautions for user:	Not regulated.
IATA UN Number: Proper Shipping Name: Transport Hazard Class(es):	UN 1950 Aerosols, flammable
Class: Label(s):	2.1
Packing Group:	-
Environmental Hazards: Marine Pollutant	No No
Special precautions for user:	Not regulated.

### 15. Regulatory information

### **US Federal Regulations**

### Restrictions on use: Not known.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

### CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
Butane	lbs. 100
Propane	lbs. 100
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	lbs. 1000
Ammonium hydroxide ((NH4)(OH))	lbs. 1000
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	lbs. 100

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard	categories
	Fire Hazard
	Flammable aerosol

### SARA 302 Extremely Hazardous Substance

	<u>Reportable</u>
<u>Chemical Identity</u>	<u>quantity</u>
Terpenes and	
Terpenoids, sweet	
orange-oil	

**Threshold Planning Quantity** 

## SARA 304 Emergency Release Notification

Chemical Ident	ity	Reportable quant	ity
Butane		lbs. 100	
Propane		lbs. 100	
Terpenes	and		
Terpenoids,	sweet		



orange-oil 1,2-Benzenedicarboxylic Ibs. 1000 acid, 1,2-diethyl ester Ammonium hydroxide Ibs. 1000 ((NH4)(OH)) Bicyclo[3.1.1]hept-2-ene, Ibs. 100 2,6,6-trimethyl-

### SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Butane	10000 lbs
Propane	10000 lbs
Terpenes and Terpenoids,	10000 lbs
sweet orange-oil	

### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

### US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

### US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u> Butane Propane

#### US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

### US. Pennsylvania RTK - Hazardous Substances

<u>Chemical Identity</u> Butane Propane

#### **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

#### International regulations

#### Montreal protocol

Terpenes and Terpenoids, sweet orange-oil

#### Stockholm convention

Terpenes and Terpenoids, sweet orange-oil

### Rotterdam convention

Terpenes and Terpenoids, sweet orange-oil

Kyoto protocol



Inventory Status: Australia AICS:	Not in compliance with the inventory.
Canada DSL Inventory List:	Not in compliance with the inventory.
EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	Not in compliance with the inventory.
US TSCA Inventory:	Not in compliance with the inventory.
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
Ontario Inventory:	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory:	Not in compliance with the inventory.

# 16.Other information, including date of preparation or last revision

Issue Date:	09/26/2019
<b>Revision Information:</b>	No data available.
Version #:	1.0
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.