

Version 1.0

Revision Date 03/07/2015

Print Date 10/30/2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP AEROLUBE NC AERO	
Material number	:	0000000000010300	
Manufacturer or supplier's details			
Company	:	Zep Inc.	
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318	
Telephone	:	404-352-1680	

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	white, opaque
Odour	solvent-like

GHS Classification

Flammable aerosols Gases under pressure Skin irritation Eye irritation Specific target organ toxicity - single exposure	 Category 1 Liquefied gas Category 2 Category 2A Category 3 (Central nervous system)
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	: Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames



sion 1.0	Revision Date 03/07/2015	Print Date 10/30/2017
	and other ignition sources. No smo P211 Do not spray on an open flam P251 Pressurized container: Do no use. P261 Avoid breathing dust/ fume/ 9 P264 Wash skin thoroughly after h P271 Use only outdoors or in a we P280 Wear eye protection/ face pro P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash w P304 + P340 + P312 IF INHALED: and keep at rest in a position comfe POISON CENTER or doctor/ physi P305 + P351 + P338 IF IN EYES: for several minutes. Remove conta easy to do. Continue rinsing. P332 + P313 If skin irritation occur attention. P337 + P313 If eye irritation persis attention. P362 Take off contaminated clothin Storage: P405 Store locked up. P410 + P412 Protect from sunlight temperatures exceeding 50 °C/ 122 P403 Store in a well-ventilated place Disposal: P501 Dispose of contents/contained	ne or other ignition source. of pierce or burn, even after gas/ mist/ vapours/ spray. andling. II-ventilated area. otection. with plenty of soap and wate Remove victim to fresh air ortable for breathing. Call a ician if you feel unwell. Rinse cautiously with water act lenses, if present and s: Get medical advice/ ts: Get medical advice/ ng and wash before reuse. . Do not expose to 2 °F. ce.
Potential Health Effects	regulation.	
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable, human carcinogen by IARC.	0
ACGIH	No component of this product present equal to 0.1% is identified as a carcino carcinogen by ACGIH.	-
OSHA	No component of this product present equal to 0.1% is identified as a carcino carcinogen by OSHA.	
NTP	No component of this product present equal to 0.1% is identified as a known	-

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical	Name

CAS-No.



rsion 1.0 Revision Da	ate 03/07/2015	Print Date 10/30/2017
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	>= 30 - < 50
Solvent naphtha (petroleum), light aliph.	64742-89-8	>= 20 - < 30
propane	74-98-6	>= 10 - < 20
Distillates (petroleum), hydrotreated light	64742-47-8	>= 10 - < 20
butane	106-97-8	>= 10 - < 20

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	 Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes. Wash contaminated clothing before re-use.
In case of eye contact	 In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If in eyes, rinse with water for 15 minutes.
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.



Version 1.0	Revision Date 03/07/2015	Print Date 10/30/2017
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide	
producto	Smoke	
Specific extinguishing methods	: Use extinguishing measures that an circumstances and the surrounding	
Further information	: Fire residues and contaminated fire be disposed of in accordance with For safety reasons in case of fire, of separately in closed containments. Use a water spray to cool fully clos	local regulations. ans should be stored
Special protective equipment for firefighters	: Wear self-contained breathing apparent necessary.	aratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Always replace cap after use. Do not breathe vapours or spray mist.
Conditions for safe storage	: BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force



Version 1.0	Revision Date 03/07/2015	Print Date 10/30/2017
	or throw into fire even after use. Do red-hot objects. No smoking. Containers which are opened must kept upright to prevent leakage. Observe label precautions. Keep in a dry, cool and well-ventilat Electrical installations / working ma the technological safety standards.	be carefully resealed and ed place.
Materials to avoid	: Strong oxidizing agents Do not freeze.	
Storage temperature	: <49 °C	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.



Version 1.0	Revision Date 03/07/2015	Print Date 10/30/2017
Eye protection	: Safety glasses Ensure that eyewash stations and s the workstation location.	safety showers are close to
Skin and body protection	: impervious clothing Choose body protection according concentration of the dangerous sub	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at t	he end of workday.

gas

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied
Colour	: white, opaque
Odour	: solvent-like
Odour Threshold	: no data available
рН	: not applicable
Melting point/freezing point	: not determined
Boiling point	: no data available
Flash point	:
	not determined
Evaporation rate	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Density	: 0.83 g/cm3
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: not determined
	, and the sumble la
Partition coefficient: n- octanol/water	: no data available
Auto-ignition temperature	: not determined
Thermal decomposition	: no data available
Viscosity	
Viscosity, kinematic	: no data available



Version 1.0

Revision Date 03/07/2015

Print Date 10/30/2017

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2) Organic Substances

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:	
Distillates (petroleum), hydro Acute oral toxicity	treated heavy naphthenic: : LD50 rat: > 5,000 mg/kg
Acute inhalation toxicity	: LC50 rat: > 5 mg/l Exposure time: 4 h
Acute dermal toxicity	: LD50 rabbit: > 5,000 mg/kg
Skin corrosion/irritation	
Product:	
Remarks: Irritating to skin.	
Serious eye damage/eye irritation	n
Product:	
Remarks: Irritating to eyes.	
Respiratory or skin sensitisation	
no data available	
Germ cell mutagenicity	
no data available	

no data available

Carcinogenicity

no data available



Version 1.0

Revision Date 03/07/2015

Print Date 10/30/2017

Reproductive toxicity

no data available

Distillates (petroleum), hydrotreated heavy naphthenic: Solvent naphtha (petroleum), light aliph.: propane: Distillates (petroleum), hydrotreated light: butane:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: no data available

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

Components:

Distillates (petroleum), hydrotreated light: Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water	: Remarks: no data available
Components:	
butane :	
Partition coefficient: n-	: Pow: 2.89
octanol/water	

Mobility in soil

no data available



Version 1.0	Revision Date 03/07/2015	Print Date 10/30/2017
Other adverse effects		
no data available <u>Product:</u>		
Regulation	40 CFR Protection of Environment Stratospheric Ozone - CAA Section Substances	
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App + B).	
Additional ecological information	: no data available	
	An environmental hazard cannot be exc event of unprofessional handling or disp aquatic life with long lasting effects.	
<u>Components:</u> Distillates (petroleum), hydrot	reated light :	
Additional ecological information	: no data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air):

SAFETY DATA SHEET



ZEP AEROLUBE NC AERO

Version 1.0Revision Date 03/07/2015Print Date 10/30/2017

UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard	ds : Fire Hazard Acute Health Hazard Sudden Release of Pressure Hazard	
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
The components of this product are reported in the following inventories:		
TSCA DSL	On TSCA Inventory This product contains one or several components that are not on the Canadian DSL nor NDSL.	
AICS NZIOC PICCS IECSC	Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory	
Inventory Acronym and Validity Area Lagend:		

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)




Version 1.0

Revision Date 03/07/2015

Print Date 10/30/2017

SECTION 16. OTHER INFORMATION

Further information



OSHA GHS Label Information:

Hazard pictograms	
Signal w ord	: Danger:
Hazard statements	 Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statements	:
	 Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection/face protection. Wear protective gloves. Response: IF ON SKIN: Wash with plenty of soap and w ater. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unw ell. IF IN EYES: Rinse cautiously with w ater for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and w ash before reuse. Storage: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place. Disposal: Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next



Version 1.0

Revision Date 03/07/2015

Print Date 10/30/2017

Dimension[™], Petro[®], i-Chem[®], TimeMist[®], TimeWick[™], MicrobeMax[®], Country Vet[®], Konk[®], Original Bike Spirits[®], Blue Coral[®], Black Magic[®], Rain-X[®], Niagara National[™], FC Forward Chemicals[®], Rexodan[®], Mykal[™], and a number of private labeled brands.